6

PATENT 0002-2

CLEAN SET OF PENDING CLAIMS:

- 1. A combustible fuel composition of diesel fuel and additive as a clear microemulsion with water present wherein said additive comprises:
 - (a) ethanol having between 0.5 and 25 % water by volume of ethanol;
 - (b) one or more alcohols selected from the group consisting of:
 - (i) straight- or branched-chain alcohols having between 3 and 5 carbon atoms
 - (ii) straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and
 - (iii) combinations of b(i) and b(ii);
 - (c) a fatty acid of the structure R-(C=O)-OH, wherein R is alkyl or alkylene having between about 10 to 24 carbon atoms, in combination with ammonia or urea in an anhydrous state or as an aqueous solution;

wherein components a, b, and c, as the additive when combined with mixing with diesel fuel form a clear, stable microemulsion fuel composition having a viscosity within \pm 10% of the original viscosity of the diesel fuel, and wherein the ratio of diesel fuel to additive ranges from about 50:50 to 99:1 by volume, with the proviso that water is present in the composition sufficient to form the microemulsion and with the proviso ethylene oxide condensation and ethylene oxide esterification products are completely eliminated.

M58. A combustible fuel composition of diesel fuel and additive as a clear microemulsion with water present wherein said additive comprises:

- (a) ethanol having between 0.5%-25% water by volume of ethanol;
- (b) one or more alcohols selected from the group consisting of:
 - (i) straight- or branched-chain alcohols having between 3 and 5 carbon atoms,
 - (ii) straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and
 - (iii) combinations of b(i) and b(ii);





7

PATENT 0002-2

(c) a fatty acid of the structure R-(C=O)-OH, wherein R is alkyl or alkylene having between about 10 to 24 carbon atoms, in combination with ammonia or urea in an anhydrous state or as an aqueous solution; wherein components a, b, and c, as the additive when combined with mixing with diesel fuel form a clear, stable microemulsion fuel composition having a viscosity within ± 10% of the original viscosity of the diesel fuel, and wherein the ratio of diesel fuel to additive ranges from about 50:50 to 99:1 by volume, with the proviso that water is present in the composition sufficient to form the microemulsion and with the proviso ethylene oxide condensation and ethylene oxide esterification products are completely eliminated, wherein: in subpart (a) the alcohol is ethanol having between 0.5%-5% water by volume of ethanol; in subpart (b) one or more alcohols selected from the group consisting of:

(b)(i) straight- or branched-chain alcohols having between 3 and 5 carbon atoms,

(b)(ii) straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and

(b)(iii) combinations of b(i) and b(ii);

in subpart (c) the ammonia or urea is present sufficient to neutralize 40-80% of the fatty acid and completely eliminated are the following compounds:

the ethylene oxide condensation or esterification product formed with (i) an alkyl phenol of the formula:

7/10/7,0936

8

PATENT 0002-2

where R'_1 is a alkyl chain having up to 8 carbon atoms and n is an integer from 5 to 20;

(ii) a fatty acid of the formula:

1,0940

(iii) a fatty alcohol of the formula:

R2-c-(0-cH2-CH2)nOH A-CH1-CH1);OH

R2-(ocH2CH2) of

wherein R'2 is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 wherein R'₂ is a long-order, to 18 carbon atoms, and n is an integer from 5 to 30; $HocH_2 - (CHoH)_0 - CH_2 \circ C - R_3$

7,0942

HOCH,—ICHORD,—CH.OG—R.

wherein R'3 is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 to 18 carbon atoms, and n is an integer from 1 to 4; or

(v) a polyol and long-chain fatty acid having the formula:

H(och2ch2) - och2 - (choH) - ch2 CC - R3

H(och(eh)2-och1-(ehoH)2-ehioe-R3

wherein R', has the meaning given above, n_1 is an integer from 5 to 30 and n_2 is an integer from 1 to 4.

60. The additive of Claim 50 wherein:

in subpart (b) the alcohol of

(b)(i) is straight- or branched-chain alcohols having between 3 and 5 carbon atoms, with the proviso that

9

PATENT 0002-2

carbon atoms, with the provise that-

(b)(ii) is excluded, and

(b)(iii) is excluded.

ombustible fuel composition of the Additive of Claim & wherein

in subpart (b) the alcohol

- (b)(i) is excluded,
- (b)(ii) is straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and
- (b)(iii) excluded.

7) combustible fuel composition 52. The additive of Claim 50 wherein:

the ratio of subparts (a):(b):(c) is between about 50:45:5 to 50:25:25.

63. The additive of Claim & wherein:

the ratio of subparts (a):(b):(c) is between about 60:35:5 to 60:20:20

64. A combustible fuel composition of diesel fuel and additive as a clear microemulsion with water present wherein said additive comprises:

- (a) ethanol having between 0.5 and 10 % water by volume of ethanol;
- (b) one or more alcohols selected from the group consisting of:
 - (i) straight- or branched-chain alcohols having between 3 and 5 carbon atoms
 - (ii) straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and
 - (iii) combinations of b(i) and b(ii);
- (c) a fatty acid of the structure R-(C=O)-OH, wherein R is alkyl or alkylene having between about 10 to 24 carbon atoms, in combination with ammonia or urea in an anhydrous state or as an aqueous solution and the ammonia or urea is present sufficient to neutralize about 40-80% of the fatty acid;

රා

10

PATENT 0002-2

wherein components a, b, and c, as the additive when combined with mixing with diesel fuel form a clear, stable microemulsion fuel composition having a viscosity within \pm 10% of the original viscosity of the diesel fuel, and wherein the ratio of diesel fuel to additive ranges from about 50:50 to 99:1 by volume, with the proviso that water is present in the composition sufficient to form the microemulsion and with the proviso ethylene oxide condensation and ethylene oxide esterification products are completely eliminated, and

completely eliminated are the following compounds:

the ethylene oxide condensation or esterification product formed with (i) an alkyl phenol of the formula:

O(CH₂CH₂O)₂H

where R'_1 is a alkyl chain having up to 8 carbon atoms and n is an integer from 5 to 20;

(ii) a fatty acid of the formula:

(iii) a fatty alcohol of the formula:

wherein R'_2 is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 to 18 carbon atoms, and n is an integer from 5 to 30;

(iv) a polyol having the formula:





11

PATENT 0002-2

wherein R'3 is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 to 18 carbon atoms, and & is an integer from 1 to 4; or

(v) a polyol and long-chain fatty acid having the formula:

wherein R'₃ has the meaning given above, n_1 is an integer from 5 to 30 and n_2 is an integer from 1 to 4.

Combustible fuel composition & The additive of Claim of Wherein;

in subpart (b) the alcohol

(b)(i) is excluded,

(b)(ii) is straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and

(b)(iii) is excluded.

68/ The additive of Claim 64 wherein:

the ratio of subparts (a):(b):(c) is between about 50:40:10 to 50:25:25.

Combustible fuel composition

the ratio of subparts (a):(b):(c) is between about 60:30:10 to 60:20:20.

68. A combustible fuel composition of diesel fuel and additive as a clear microemulsion with water present wherein said additive comprises:

- (a) ethanol having between \ 0 and 25 % water by volume of ethanol;
- (b) one or more alcohols selected from the group consisting of:

12

PATENT 0002-2

- (i) straight- or branched-chain alcohols having between 3 and 5 carbon atoms
- (ii) straight- or branched-chain alcohols having between 6 and 12 carbon atoms, and
- (iii) combinations of b(i) and b(ii);
- (c) a fatty acid of the structure R-(C=O)-OH, wherein R is alkyl or alkylene having between about 10 to 24 carbon atoms, in combination with ammonia or urea in an anhydrous state or as an aqueous solution and the ammonia or urea is present sufficient to neutralize about 40-80% of the fatty acid;

wherein components a, b, and c, as the additive when combined with mixing with diesel fuel form a clear, stable microemulsion fuel composition having a viscosity within \pm 10% of the original viscosity of the diesel fuel, and wherein the ratio of diesel fuel to additive ranges from about 50:50 to 99:1 by volume, with the proviso that water is present in the composition sufficient to form the microemulsion and with the proviso ethylene oxide condensation and ethylene oxide esterification products are completely eliminated, and

completely eliminated are the following compounds:

the ethylene oxide condensation or esterification product formed with (i) an alkyl phenol of the formula:

O(CH₁CH₂O),H

where R'_1 is a alkyl chain having up to 8 carbon atoms and n is an integer from 5 to 20;

(ii) a fatty acid of the formula:

(iii) a fatty alcohol of the formula:

4

13

PATENT 0002-2

wherein R'₂ is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 to 18 carbon atoms, and n is an integer from 5 to 30;

(iv) a polyol having the formula:

wherein R'₃ is a long-chain, saturated or unsaturated hydrocarbon radical containing 12 to 18 carbon atoms, and n is an integer from 1 to 4; or

(v) a polyol and long-chain fatty acid having the formula:

н(оси;сн), -оси;-(снон), -си;ос-к;

wherein R'₃ has the meaning given above n_1 is an integer from 5 to 30 and n_2 is an integer from 1 to 4.

combustible their composition 59. The additive of Claim 68 wherei

in subpart (b) the alcohol of

(b)(i) is excluded,

(b)(ii) is straight- or branched-chain alcohols having between 6 and 12 carbon atoms, with the proviso that

(b)(iii) is excluded.

19 combustible fuel composition
18. The Additive of Claim of wherein:

the ratio of subparts (a):(b):(c) is between about 50;30:20 to 50:25:25.

Please cancel claims 71 to 76 and examine instead new claims 78-84.\(\)

Or

a

PATENT 3596.02-2 14 0002 - 2combustible fuel composition 78. (New) The additive of Claim 1 where the ratio of diesel fuel to additive is Ġ between about 80:20 to 90:10. combustible fuel composition M. (New) The additive of Claim 1 where the ratio of diesel fuel to additive is between about 90:10 to 99:1. 9 Combustible, fuel composition

80. (New) The additive of Claim 50 where the ratio of diesel fuel to additive is Óπ between about 80:20 to 90:10. Now) The additive of Claim 58 where the ratio of diesel fuel to additive is between about 90:10 to 99:1. 2. The additive of Claim of where the ratio of diesel fuel to additive is between G_{1} about 80:20 to 90:10. (New) The additive of Claim 64 where the ratio of diesel fuel to additive is between about 90:10 to 99:1. 24. (New) The additive of Claim 68 where the ratio of diesel fuel to additive is

REMARKS *

between about 80:20 to 99:1.

Applicant first amended the claims BASED ON THE PRELIMINARY AMENDMENT B FILED BY TELEFAX ON March 22, 2001 to better explain and define the present invention. Water was earlier added to the claim. By definition water is present in a (this) microemulsion. Water is present by direct addition, by being present in small amounts in some of the organic components present or added, or is available in sufficient quantities to form the microemulsion from the ambient atmosphere and/or equipment. The support for the water is found throughout the specification and claims.

Applicant in Claim 1ff have amended all claims in subpart (a) to recite ethanol as